

member of zumtobel group

THORN



Voyager Style

The ultra-slim emergency luminaire

Voyager Style

Introducing our new ultra-slim emergency luminaire.

At just 37 mm thick, Thorn's new Voyager Style luminaire is ultra-slim, unobtrusive and the perfect addition to Thorn's growing range of emergency lighting solutions.

As well as self-contained luminaires in manual and autotest versions, Voyager Style is also available for use with central battery systems. Voyager Style can be easily mounted on ceilings or walls. Additionally, suspended versions are available, using the same universal housing. Mounting is quick and easy.

With an adapter, recessed mounting is also possible for the sleekest possible look. Providing light intensity of 500 cd/m², Voyager Style meet the DIN 4844 standard for safety signage.*


Voyager Style is rated IP43 for protection against dust and moisture, making it a versatile solution.





Ultra-slim

Thorn's Voyager Style shows that emergency luminaires don't have to be bulky or obtrusive. At just 37 mm thick, this understated fitting can blend into any interior, and is easy to mount in a variety of configurations. This luminaire is clear and bold when needed, while also being discreet.



Power options

Whether your emergency lighting system relies on self-contained battery-powered luminaires or a central battery system, Voyager Style meets your needs. For self-contained system, three-hour versions are available.

Sleek and simple

The wide range of mounting options means Voyager Style can fit in wherever you need emergency light. The recessed mounting option makes for a particularly unobtrusive appearance. The universal housing creates a minimal look that does justice to any kind of interiors.

Product specification

Mounting	Surface for ceiling, wall and wall 90, Recessed with adapter for ceiling
Monitoring	Manual test/Autotest/Circuit monitoring/Set009
Supply version	Self contained/central supply
Autonomy (self contained)	3h
Degree of protection	IP43
Class of protection	SC2
Ambient temperature	-10...+40°C (central supply)



Design

Ultra slim screw less housing with easy to use closing mechanism.

Optics

Homogeneous light distribution over the whole surface of the pictogram / special designed lenses for escape illumination.

Installation

Tool-less 'Click' - mounting after fitting the housing base.

Standards

IP43 IK03 CE

Light source information


Recognition range Style 115 23 m
Recognition range Style 150 30 m
Nominal life-time 50 000 hours

Materials/Finish

Luminaire housing made of white polycarbonate and transparent polycarbonate cover.

To specify state:

Flexible emergency luminaire for various mounting possibilities that can be even extended with an adapter. Only 37mm housing depth for state of the art design. Orderable as safety sign or safety luminaire. Manual, autotest, circuit controlled or SET009 (only central supply) version capability. As Thorn Voyager Style.



5 Year Warranty

As a globally leading luminaire manufacturer, Thorn Lighting provides a five-year warranty for its complete product range within all European Countries.

www.thornlighting.com/warranty

Thorn Lighting is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request. All measurements are in millimetres and weights in kilograms unless otherwise stated.

Publication No: 96644287 (INT) Publication Date: 11 / 17



www.pefc.org PEFC/6-38-214

THORN



WWW.THORNLIGHTING.COM/VYST